1. Introduction

Biological toxins are toxic substances that are produced by certain species of living organisms, including microbes, plants, and animals. These are used at Kennesaw State University (KSU).

4. Responsibilities

A. Principal Investigators, Lab Supervisors, and Managers

Principal investigators (PIs), lab supervisors, and/or lab managers are responsible for the following:

Ensuring that

Determine if the biological toxin proposed for use is identified as a Select Agent/Toxin. Consult with EHS to determine all regulatory requirements, and if the appropriate

Employ safe sharps procedures when manipulating the material.

The use of locking or integrated needle syringes or disposable syringe units are strongly recommended

Use vial adapters when feasible to eliminate the need to use a needle to add diluents into a septum vial.

If you must introduce a needle through a septum because a vial adapter is not available for the vial configuration, assure that the vial is secured with a device that allows the non-dominant hand to be outside of the “strike zone” of the needle. Either secure the vial in a rack or use a clamp to hold the vial instead of holding it directly by hand during needle introduction and removal.

Ensure that an appropriate sharps container is available in the immediate vicinity of the experiment for proper disposal.

Do not recap syringes, but rather dispose of them directly into the available sharps container after use.

When possible, use a needle-safe devices (i.e., the sharp end is retractable or enclosed after use).

Wear the appropriate PPE when working with biological toxins.

Working with dry biological toxin material (e.g., powder, freeze dried, etc.) can significantly increase potential exposure to the toxin through inhalation and surface contamination. For these reasons, the use of dry material is discouraged. However, if working with dry material cannot be avoided, it is strongly recommended that a pre-measured amounts be ordered that will allow dilution without opening the container.

If work with dry forms of biological toxins must be done in open vessels, specific written, safety measures must be created that will explain how to minimize inhalation exposure and contamination of work surfaces. Personnel must then be trained on these procedures. Respiratory protection may also be required. In this case, contact EHS for guidance on developing safety procedures.

Work with biological toxins in only the conspicuously marked, designated area.

If using toxins during animal studies, restrain or sedate animals as needed.

Wipe any drips/residues from containers and work surfaces with absorbent material (e.g., paper towel, Kimwipes™, etc.) and dispose of the in the appropriate hazardous waste stream. It is recommended to wa

tatvin11.2 (m)]pdasiaBT663 08